

RB RUBBER GROUP ELASTIC WATER BASED INK

PRODUCTS	: RB 2040 CLEAR – Clear elastic waterbased RB 2045 WHITE – White elastic waterbased
FEATURES	: Soft touch, High elasticity, High washing fastness, High Coverage, Complying with ecologic standards, Oekotex class I.
APPLICATION	: May be coloured by PG Group Pigments up to %5 percentage. When printing directly with RB 2045, to make the handling more elastic or softer %20–30 RB 2040 Clear may be added. This mixture also increases the durability of print and productivity of colour. Durable and strong in long working time. No choking or wrapping at the screen during working. High performance in long time working. % 0,5–1 of RB 2601 Superfix catalyst should be added to increase the washing fastness in white prints. Washing fastness of catalyst added mixture is still very good even in heavy washing conditions.
COLOUR	: RB 2040 : Clear RB 2045 : White
PH	: RB 2040 Clear : 8.5 ± 0.5 RB 2045 White : 8.5 ± 0.5
DENSITY	: RB 2040 Clear : 1,05 gr / ml RB 2045 White : 1,35 gr / ml
VISCOSITY	: RB 2040 Clear : (Brookfield 25°C Cp: 6 , Rpm:10) 90.000 – 150.000 Cp RB 2045 White : (Brookfield 25°C Cp: 7 , Rpm:20) 120.000 – 200.000 Cp
SCREEN	: 43/T-62/T Treads/cm is recommended.
FIXING	: Fixing temperature and time;165°C-170°C,1,5-2minutes.
CLEANING	: Screens and other equipments may be easily washed by pressure water.
WASHING	: Reverse washing in 40C or below, Sensitive Programs.
PACKING	: Plastic Packing, White40-70kg -Clear30-60kg

Note : Above mentioned qualified data is obtained from our R&D tests done in our own R&D labs. Supplied as General Knowledge and Information only and should not be considered as a Warranty Information. Printing Quality may change for different company conditions. Please start your production process after completing your own trial tests. Please stir before using the product and keep the product in room temperature.